

Recovery Support Planning & Completing an Episode of CoCM

Anna Hink, LICSW

Copyright © 2021 University of Washington

1


Learning Objectives

By the end of this session, participants should be able to:


- Identify when patients are ready to complete care
- Understand the purpose and content of a relapse prevention plan as well as the steps involved in creating one
- Describe when a patient may need a referral for specialty care and how to bridge care successfully

Copyright © 2020 University of Washington

2




3



4

Defining Relapse Prevention Plan

- Plan to empower patient in self-care after active care management is ended
 - Self-efficacy
 - Outcome expectancies
 - Coping
- Prevent recurrence of symptoms and/or help patient know when to seek help
 - Adherence to medications
 - Adherence to other interventions



Copyright © 2020 University of Washington

5

Maintenance Treatment & Relapse Prevention

- Patient in remission from acute episode
 - Make a relapse prevention plan
- Follow the patient with monthly contacts
 - Usually by telephone
 - Individual OR in a maintenance group
- Bring patient back in for further evaluation if symptoms recur

Copyright © 2020 University of Washington

6

Ending Well Is Important: Purpose of Relapse Prevention

- Ending is about patient empowerment
 - Shift the focus from ending to celebrating
 - Info & tools to be in charge of care
- Core elements
 - Identify what worked to get better
 - Strategies to keep doing these things
 - Recognize symptoms of depression or anxiety
 - A plan if symptoms return

Copyright © 2020 University of Washington

7

Reflection & Discussion



- How does completing treatment happen in your practice now?
 - Are there changes you would like to make to improve your process?

Copyright © 2020 University of Washington

8

Relapse Prevention Plan Template

Date:

Purpose: Behavioral health episodes can occur again during a person's lifetime. The purpose of a relapse prevention plan is to help you understand your own personal warning signs. These warning signs are specific to each person and can help you identify when symptoms may be starting to return so you can get help sooner – before the symptoms get bad. The other purpose of a relapse prevention plan is to help remind you what has worked for you to feel better. Both of these put YOU in charge!

Instructions: 1. Fill out this form with your care manager. 2. Put it where you'll come across it on a regular basis. 3. If you see signs of returning symptoms, use your prevention plan.

My Diagnosis:
Maintenance medications:
Other treatments:
Personal warning signs:
Things that help me feel better:

Call your primary care provider or your care manager with any questions (see contact information below).
If symptoms return, contact:
Primary Care Provider Contact:
Care Manager Contact:
Next Appointment:

Copyright © 2020 University of Washington

9


Example Relapse Prevention Plan

- **Medications and treatments**
 - Prozac 20 mgs every am
 - Remain on the medications for at least 6 months
 - Call the pharmacy for refills and have them contact PCP if you run out of refills
 - Talk to your PCP before stopping
 - Continue attending AA meetings at the Cherry St Hall
- **Warning signs of depression returning**
 - Spending more time in bed, especially in the afternoon
 - Not returning friends' phone calls or turning down invitations
 - Low energy and lack of interest in getting out of the apartment
- **Healthy behaviors**
 - Walk 3 times a week with neighbor in the morning
 - Go to book club/read daily in afternoon
 - Deep breathing daily at 8 am

Copyright © 2020 University of Washington


10

Bridging to Specialty Care



Copyright © 2020 University of Washington

11



12

Referral to Specialty Care

- **Reasons to refer on**
 - Patient struggling with program parameters
 - Patient requires more intensive support for treatment success
- **Normalize option from outset**
- **Intensify treatment by**
 - Changing setting
 - Adding psychological, recovery or social supports

Copyright © 2020 University of Washington

13

Prepping Your Patient for a Referral

- **Access levels of assistance needed**
- **Understand barriers and coach patients in overcoming them**
 - Cognitive challenges
 - Literacy
 - Cultural issues
 - Practical barriers
 - Funding
 - Transportation
 - Waitlist
 - Hours
 - Attitude



Copyright © 2020 University of Washington

14


Helping to Bridge Care Successfully

- **Leverage your personal knowledge of community resources/referral sources**
- **Normalize help seeking for patient**
 - “This has helped several of my patients”
 - “Sandra over there has been very supportive”
- **Emulate warm handoff**
 - Call together
- **Close the loop**
 - Follow-up with client and agency

Copyright © 2020 University of Washington

15

Questions?



Copyright © 2021 University of Washington

16



17